

Toyota LC 250 24-

Mounting instructions

Art. 635080

Tow bar

English



WWW.METEC.EE

Scan the QR code
for translated
instructions or visit
metec.ee/instructions




Weight: 22,9 kg

Time of mounting w/o wiring: 165 min (variant A); 45 min (variant B)

Required tools:




Max. 140 kg	Max. 3500 kg	D = 16,13 kN	Zn	
			M12 (8.8) - 81 Nm	
			M14 (8.8) - 128 Nm	
			M16 (8.8) - 197 Nm	
			M16 (10.9) - 277 Nm	

Toyota LC 250 24-

Art. 635080

Tow bar



Pos	Description	QTY
1.	Bracket	1
2.	Bracket	1
3.	Bracket	1
4.	Bracket	1
5.	Socket holder	1
6.	Tow bar	1
7.	Bolt M12x1,25x50 DIN960-8.8-galZn	7
8.	Bolt M14x50 DIN931-galZn	6
9.	Bolt M16x50 DIN985-galZn	2
10.	Bolt M16x1,5x120 DIN960-10.9-black	2
11.	Nut M14 DIN985-galZn	4

Pos	Description	QTY
12.	Nut M16 DIN985-galZn	5
13.	Flat Washer 13x24x2,5	7
14.	Flat Washer 15x28x2,5	10
15.	Flat Washer 17x30x3	9
16.	Spring washer A12	7
17.	Spring washer A14	2
18.	Spring washer A16	2
19.	Cover	1
20.	Nut cover M14	6
21.	Nut cover M16	4

NB!



To prevent cold welding, use cold weld grease or engine oil



Installation of the lights must be carried out by a qualified electrician only



VARIANT A




For frequent usage of the full towing force (3500kg) follow the installation by the bumper removal procedure.









Page 3 - 5



VARIANT B








For common usage of light trailer only follow the simplified installation w/o bumper removal








Page 6 - 7











In case of any defects or damage to the METEC product upon delivery, contact the reseller or point of sale where you made your purchase for resolution