



Volvo FH 2013-2020, 2020- (Globe XL)


Art. 868619870

Laternakandur HYDRA | Lamp holder HYDRA | Носител фар HYDRA | Scheinwerferbügel HYDRA



1. Laternakandur / lamp holder / носитель фар / Scheinwerferbügel	1
2. Look / arc / дуга / Bogen	1
3. Look / arc / дуга / Bogen	1
4. Vinkel / angled plate / угольник / winkel	2
5. Plaat / plate / пластина / Platte	2
6. Kronstein / bracket / кронштейн / Konsole	1
7. Kronstein / bracket / кронштейн / Konsole	1
8. Kronstein / bracket / кронштейн / Konsole	1
9. Kronstein / bracket / кронштейн / Konsole	1
10. Kronstein / bracket / кронштейн / Konsole	1
11. Kronstein / bracket / кронштейн / Konsole	1
12. Klamber / clamp / зажим / Schelle	2
13. Laternaklamber / clamp for lamp / зажим для лампы / Schelle	6
14. Kompensaator / compensator / компенсатор / Kompensator	4
15. Kompensaator / compensator / компенсатор / Kompensator	4
16. Magnetkinnitus / magnetic fastening / магнитное крепление / Magnetbefestigung d=66 M8x15	2
17. Polditav kronstein / bolt bracket / кронштейн / Bolzenhalterung	2
18. Latt / bracket / кронштейн / Latte	2
19. Polt / bolt / болт / Bolzen M8x20	4
20. Polt / bolt / болт / Bolzen M8x25	24
21. Mutter / nut / гайка / Mutter M8 DIN934-A2	2
22. Mutter / nut / гайка / Mutter M8 DIN985-A2	14
23. Seib / flat washer / шайба / Scheibe 8,4x16x1,6	14
24. Seib / flat washer / шайба / Scheibe 8,4x24x2	30
25. Vedruseib / spring washer / пружинная шайба / Federnscheibe A8	16
26. Brace-it paigaldamise abivahend / Brace-it installation tool / Инструмент для установки Brace-it / Brace-it-Installationswerkzeug	2

M8 - 25 Nm










Kaal / Weight / Масса / Gewicht: 21,7 kg

Paigaldusaeg ilma elektritöödeta / Time of mounting w/o wiring works / Время установки без электромонт. работ / Einbauzeit ohne elektrische arbeit: 90 min


Vajalikud tööriistad / Required Tools / Необходимые инструменты / Benötigte Werkzeuge






9

Ettevaatust, oht kahjustada keeret!
Caution, risk of damage to thread!
Внимание! риск повреждения резьбы!
Vorsicht, Gefahr der Beschädigung fädeln!




Auto kere / car body / кузов / Karosserie


10




11



12



13



14

Elektriühendused teostada kvalifitseeritud autoelektriku poolt

Installation of the lights can be carried out by qualified electrician only

Монтаж огней может быть выполнено только квалифицированным электриком

Die Installation der Lichter können durchgeführt werden durch Elektrofachkraft

15


Lisalaternate paigaldise lubatud maksimaalne kogukaal 10 kg

Allowed maximum weight of the installation of the extra lights in total is 10 kg


Максимально допустимая общая масса установки дополнительных фар 10 kg

Zulässiges Maximalgewicht der Installation der zusätzlichen Lichter insgesamt ist 10 kg

16



Lisa / extra / приложение / Extra



Lisa / extra / приложение / Extra

Switching pattern of the lights of the holder with OE connectors for XC117 and XC172 of factory prewiring "SPOT-R" / "SPOT-RF" and "BEACON-P"

Tube mounted Led marker lights "C" (if presented) are connected inside the tube and connected with potential position lights of the extra spot lights.

Juhtmesari võimaldab ühendada:

- B harudele kokku tarbimist kuni 15A
- A harudele kokku tarbimist kuni 15A

B haru võimaldab kas eraldi lülitust või kogu-koormuse jaotamist kaablisoonete vahel (vajalik juhtmete ümbertöstmine auto pistikus)

Wiring allows to connect:

- B looms with gross load of 15A
- A looms with gross load of 15A

B loom connected either as separate "switch-on" or used to distribute the load between the wires (repositioning wires in the truck can connector)

3G1,0

2G0,75

5G1,5

TE 1-1670730-1

Volvo 60114164

switch ON position	cord ID number references					
	5G1,5	3G1,0 A	3G1,0 B	2G0,75	to XC117 1670730-1	to XC172 60114164
yellow +	1	1	1	2	(1) 2	
ground -	Gr/y	Gr/y		1	3	
red +	2		2			1
blue +	3	2			(2) 1	
ground B -	4		Gr/y			2

All Rights Reserved by Tarmetec | www.metec.ee

02.04.2024

5/5